Week#10 Image ClassificationProblems

Download and unzip *Week10_Classification_Problems.zip* from the class website http://nrm.salrm.uaf.edu/~dverbyla/nrm338/blackboard_data/


Fire Severity Classification

The image is from 2010-Aug-15 following the 2010 Missippi Fire near Delta. What percentage of pixels inside the fire perimeter actually burned?


1) Create training polygons inside burned, unbured areas of image

	SHAPE *	BurnClass	PolygonID
1	Polygon	Unburned	1
2	Polygon	Unburned	2
3	Polygon	Unburned	3
4	Polygon	Unburned	4
7	Polygon	Burned	7
3	Polygon	Burned	8
9	Polygon	Burned	9
)	Polygon	Burned	10
1	Polygon	Burned	11
2	Polygon	Burned	12

2) Classify raster as unburned/burned



3) Clip pixels with burn perimeter



4) Compute percentage burned..varies depending on training polygons used

Unburned_Burned_Clip X						
	Value	Count	Class	Percent		
	0	1903	UnBurned	14.4%		
	1	11300	Burned	85.6%		

| Count | Percent | | 3313 | 25.1% | 9890 | 74.9% |


Value	Count	Percent
0	3548	26.9%
1	9655	73.1%

Photo Classification

The brown areas are area mined by the willow leaf blotch miner. What percentage of the willow leaf as been mined by this insect.



1) Create training polygons



2) Use training polygons to classify leaf image



NRM338 Fall 2018

3) Compute percentage mined

Wi	llowLeaf_	Mined.tif]	Statistics of WillowLear_Mir	
	Count	LeafMined	Percent	Ш	Field
	1871495	YES	48.9%	Ш	Percent
╚	1953031	NO	51.1%	Ш	rercent
Г				Ш	Statistics:
					Count: 2 Minimum: 48.934038 Maximum: 51.065962 Sum: 100 Mean: 50

Results vary depending on training polygons used..


Ī	Value	Count	Percent
J	1	1746637	45.7%
]	2	2077889	54.3%

Value	Count	Percent
0	1805926	47.2%
1	2018600	52.8%

Random Points By Vegetation Class


Use the LandCover Polygons to create 100 random points within four classes:

- 1) deciduous forest,
- 2) mixed forest,
- 3) coniferous forest
- 4) water.





Create zone values of 1,2,34 for Deciduous, Mixed, Conifer, Water

NRM338 Fall 2018



Dissolve based on zone field...





National Land Cover Classification

The entire US has been classified using Landsat imagery (http://www.mrlc.gov/nlcd01_data.php

Use your 400 random points to assess the overall classification accuracy of NLCD2001.tif.




Step 1) Determine Land_Cover of each of the 400 points



Step 3) Use Frequency tool to create summary table:

Extr	act_RandomP1_Frequency		
	Land_Cover	Truth	FREQUENCY
	Barren Land	Water	7
	Deciduous Forest	Conifer	2
	Deciduous Forest	Deciduous	90
	Deciduous Forest	Mixed Forest	34
	Deciduous Forest	Water	1
	Developed, Low Intensi	Deciduous	1
	Emergent Herbaceous	Water	1
	Evergreen Forest	Conifer	65
	Evergreen Forest	Deciduous	4
	Evergreen Forest	Mixed Forest	29
	Evergreen Forest	Water	1
	Mixed Forest	Conifer	7
	Mixed Forest	Deciduous	2
	Mixed Forest	Mixed Forest	34
	Open Water	Conifer	6
	Open Water	Deciduous	1
	Open Water	Mixed Forest	1
	Open Water	Water	90
	Shrub/Scrub	Mixed Forest	2
	Woody Wetlands	Conifer	20
	Woody Wetlands	Deciduous	2

(279 correct points/400 total points) * 100= percent overall classification accuracy



Results will vary depending on random points:

Ī	FREQUENCY	Truth	Predict	Γ
Ī	86	1	1	
j	35	2	2	
)	73	3	3	
2	82	4	4	

Count 4
Minimum: 35
Maximum: 86
Sum: 276
Mean: 69
Standard Deviation:
Nulls: 0

_					-
⊢r	ro	r N	Иο	tr	IV
		IΙV		u	IA.

Name	Truth1	Truth2	Truth3	Truth4
1) Broadleaf Forest	86	43	0	3
2) Mixed Forest	8	35	7	0
3) Spruce	3	21	73	0
4) Water	0	1	4	82